

DHCP

	MAC	IP	状态
1	7C : BA : CC : 15 : 82 : 3E	192 . 168 . 0 . 1	未分配

添加MAC
删除MAC

启动服务
关闭服务

加载配置
保存配置

DHCP 启动单 启模块来源被分配新的IP地址

信息栏



DHCP

	MAC	IP	状态
1	7C : BA : CC : 15 : 82 : 3E	192 . 168 . 0 . 3	分配成功

添加MAC
删除MAC

启动服务
关闭服务

加载配置
保存配置

DHCP 启动单 启模块来源被分配新的IP地址

信息栏

```

[23-Mar-23 10:50:19] Warning: Interface 192.168.0.19 is not Static, ignored
[23-Mar-23 10:50:19] Lease 192.168.0.19, ip: 192.168.0.19
[23-Mar-23 10:50:20] DHCPREQUEST for 7c:ba:cc:15:82:3e () from interface 192.168.0.211
[23-Mar-23 10:50:20] Host 7c:ba:cc:15:82:3e (Host7cbacc15823e) allotted 192.168.0.3 for 3000 seconds
[23-Mar-23 10:50:22] Network changed, retesting Static IP...
  
```



Window with a blue title bar and a close button (X). The main area contains a table with the following headers:

mac	IP地址	子网掩码	默认网关	模块名称	状态
-----	------	------	------	------	----

Below the table, there is a control bar with the following elements:

扫描时间: 5 :S 全局扫描 修改IP 恢复出厂设置 重启模块


Window with a blue title bar and a close button (X). The main area contains a table with the following data:




	mac	IP地址	子网掩码	默认网关	模块名称	状态
1	7C-BA-CC-15-82-3E	192 . 168 . 0 . 3	255 . 255 . 255 . 0	192 . 168 . 0 . 1	JP0808X_EP	未操作

Below the table, there is a control bar with the following elements:

扫描时间: 5 :S 全局扫描 修改IP 恢复出厂设置 重启模块

扫描进行中: 100%







技科自研
LATIOS

www.latios.com

